




# CAR Bearing manufacturing Co.,Ltd



## KOYO RNA49/32 needle roller bearings

Bearing No. RNA49/32

RNA49/32 Bearing 2D drawings and 3D CAD models

Size	40x52x20 mm
Bore Diameter	40 mm
Outer Diameter	52 mm
Width	20 mm
F <sub>w</sub>	40 mm
D	52 mm
C	20 mm
r5 min.	0,6 mm
Weight	0,1 Kg
Basic dynamic load rating (C)	32 kN
Basic static load rating (C0)	49,3 kN
(Grease) Lubrication Speed	7100 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.1
EAN	0060579020174
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes



## CAR Bearing manufacturing Co.,Ltd

Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	40MM Bore; 52MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring   Steel Cage   Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	RNA49/32
Weight / LBS	0.22
Bore	1.575 Inch   40 Millimeter
Width	0.787 Inch   20 Millimeter
Outside Diameter	2.047 Inch   52 Millimeter
Bearing No.	RNA49/32
rs(min)	0.6
Cr	32
C0r	49.3
Cu	7.85
Grease lub.	7100



## CAR Bearing manufacturing Co.,Ltd

Oil lub.	11000
(Refer.) Mass(kg)	0.100